

Rec'd PCT/PTO 23 JUL 2008

23/07 2008 19:47 FAX +31 20 6750400

M.W.Driessen NL

001

To:
United States Patent and Trademark Office (USPTO)
Mail Stop PCT, Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450, USA
Fax: +1 571 273 32 01

From:
Maarten Willem DRIESSEN (applicant/ inventor)
Orteliusstraat 135-1
1057 AW Amsterdam
Netherlands
Fax: +31 20 675 04 00
E-mail: mwdriessen@tiscali.nl

2008-07-23 ± 19.47 Dutch
time
fax 001 571 273 32 01

International Application Number: PCT/NL2005/000249
International filing date: 04 April 2005 (04.04.2005)
US Application: 10599642
Title Invention: Glass-stripper, apparatus to hold the ticked up fusulin at the root of the next period.

Date (year-month-day): 2008-07-23


Dear Madam/ Sir,

On July 1, 2008 (07-01-2008) I have send you by facsimile a message that consisted out of 6 pages. Those 6 pages consisted out of 5 pages being a set of amended claims, and 1 page being an accompanying letter, making 6 pages in total.

In that accompanying letter, which I have send you by facsimile on July 1, 2008 (07-01-2008), I have forgotten to mention that the set of amended claims were mend to be preliminary amendments. On Public Pair you have characterised that message, which I have send you by facsimile on July 1, 2008 (07-01-2008), as 'Amendment-After non final rejection'. I would like to correct this.

As far as I know there has not been a First Office Action yet. Therefore I want to inform you with this letter that the set of amended claims, which I have send you by facsimile on July 1, 2008 (07-01-2008), were mend to be preliminary amendments.

Sincerely yours,



Maarten Willem DRIESSEN